

自 动 化 系 列

Automation series

佳岛在手中，缝纫好轻松！
A stitch above the best!



TD6/2H9/AMR 全自动双头贴袋机

TD6/2H9/AMR Automatic Double Head Pocket Setter

- 本机具备一般自动贴袋机之所有功能，主要用于牛仔服装自动贴袋之需求。
- 本机双系统同时运行，工作效率提高50%以上。
- 双头之间无须停机，即可实现不同色线、不同线径之自动缝纫。
- 可选择：（1）自动换模套装，（2）一次性模板套装，（3）可调节模板套装
- 可加装：（1）加衬机构，（2）冗位机构
- This machine has all the functions of a general automatic pocket setter, mainly used for denim clothing.
- The dual systems of this machine operate simultaneously, increasing work efficiency by more than 50%.
- Automatic sewing of different colored threads and thread diameters can be achieved between the two ends without stopping the machine.
- Mould option: (1) Quick mould change (2) Change mould as whole set (3) Traditional adjustable mould style
- Optional Device: (1) Felt Feeding Device (2) Pre-shrinking Device



TD6/2H9/AMR



3200



DP*17/18-22



220V

气源/MPa

0.6-0.8



Net WT.
Gross WT.
KG

780/880



mm

2400*1200*1550



TD6/7300/AMR 全自动贴袋机

TD6/7300/AMR Automatic Pocket Setter

- 本机根据国际流行趋势设计，经过十年间的多次优化、升级，机、电、气已达到完美结合，畅销全球数十个国家或地区。
- TD6/7300/AMR 已充分经受市场检验，能够覆盖大多数使用场景需求。模块化整体设计，丰富的折料、收料组件，可满足您对效率和品质的要求。
- 可选择加装加衬机构
- 可选择加装穴位机构
- 前后伸缩折料框，运行速度更快，效率更高。
- This machine is designed according to international popular trends, and after multiple optimizations and upgrades over a decade, it has achieved a perfect combination of mechanics, electricity, and pneumatic components, selling well in dozens of countries around the world.
- TD6/7300/AMR has fully undergone market testing and can cover most usage scenarios. Modular overall design, rich folding and receiving components, can meet your requirements for efficiency and quality.
- Optional Device: Felt Feeding Device
- Optional Device: Pre-shrinking Device
- The folding group moves forward and backward, which leads to faster running speed and higher efficiency.



气源/MPa

Net WT.
Gross WT.
KG



TD6/7300/AMR

4000

DP*5/14-22

220V

0.6-0.8

580/670

1980*1150*1500

佳岛在手中，缝纫好轻松！
A stitch above the best!



- 产品适用性:TD6/7300/AMR能够适用于绝大部分牛仔、衬衫、针织面料的贴袋工作，且基于丰富的组件，可实现加衬、定标等多种功能。


- **Product applicability:** TD6/7300/AMR can be applied to the patchwork of most denim, shirt, and chinos, and based on a variety of components, it can achieve various functions such as felt feeding and labeling, etc.



- 产品稳定性:TD6/7300/AMR已充分经历市场检验，作为外贸和内销的主力机型，产品能够为用户提供长期稳定的价值。
- 常规工作范围:220x250，其他尺寸根据具体情况可定制。

- **Product stability:** TD6/7300/AMR has fully undergone market testing as one of the main model for foreign trade and domestic sales, the product can provide users with long-term stable value.

- **Standard Working Range:** 220*250, other sizes can be customized according to specific circumstances.



- 模具多样性，考虑到服装厂、加工商等不同客户的模具更换频率、模具成本敏感性差异，我司提供多种可供选择的模具方案，致力于为客户创造最大价值。

- **Mould diversity:** considering the frequency of mold replacement and cost sensitivity differences among different customers such as clothing factories and processors, we provides a variety of mold solutions to choose from, committed to creating maximum value for customers.



TD6/H9/AMR 全自动袋鼠袋贴袋机

TD6/H9/AMR Automatic Pocket Setter For Kangaroo Pocket

- 本机根据卫衣口袋又宽又大而专门设计的一台自动贴袋机器。
- 本机采用先放口袋片，而后放大片料之缝纫程序，彻底解决目前卫衣口袋片前期手工缝制时有尺寸误差而造成贴袋不合格的问题。
- 在放置口袋片时，在机器下方吸风机构的辅助下，可以对口袋片进行适当调整。
- Designed specifically for the kangaroo pocket.
- The machine adopts a sewing program that placing the pocket piece firstly and then the body piece. It completely solving the problem of unqualified patch pocket caused by size errors in the early manual sewing of kangaroo pocket pieces.
- With the assistance of the suction mechanism under the machine, appropriate adjustments can be made to the pocket piece while placing it.



气源/MPa

Net WT.
Gross WT.
KG



TD6/H9/AMR

2800

D8*1-11/22


220V

0.6

640/720


2280*1220*1450

佳岛在手中，缝纫好轻松！
A stitch above the best!



● 放置口袋片时，可对口袋片的位置随意调整，以达到机器设定的尺寸要求。

● The pocket pieces position can be adjusted freely to meet the size requirements set by the machine.



● 独立悬挂机头，可使缝制范围更大更宽。

工作范围: 520x280mm

● Independently hanging the machine head allows for a larger and wider sewing range.

Working range: 520x280mm





TD6/2210/AMR 全自动贴袋机(极厚料用)

TD6/2210/AMR Automatic Pocket Setter

- 本机根据极厚面料设计，主要适用于睡衣、面袄、羽绒服装等的缝制。
- The machine is designed for extremely thick fabric such as pajams, cotton-padded jacket and down jackets, etc.



气源/MPa

Net WT.
Gross WT.
KG



TD6/2210/AMR

2800

DP*5/14-22

220V

0.6

555/650

1850*1250*1500



TD6/8000/AMR 全自动贴袋机

TD6/8000/AMR Automatic Pocket Setter

- 本机结构科学，经济实用，机、电、气完美组合，造就全新一代全自动贴袋机。
- 前后伸缩折料框，运行速度更快，效率更高。
- 可选配：（1）快速换模机构
（2）一次性换模机构
（3）传统换模机构
- The perfect combination of mechanism, electricity, and pneumatic components, creating a new generation of fully automatic pocket setter.
- The folding group moves forward and backward, which leads to faster running speed and higher efficiency.
- Mould option: 1) Quick mould change
2) Change mould as whole set
3) Traditional mould style



TD6/8000/AMR



3500



DP*5/14-22



220V

气源/MPa

0.6



Net WT.
Gross WT.
KG

580/670



mm

1780*1110*1470



AT1008/8000/LS/AMR 自动激光开门襟机

AT1008/8000/LS/AMR Automatic Laser Placket Machine

- 本机利用激光切割面料，使T恤衫门襟切割缝纫一次完成。
- 本机可以一边放料，一边自动切割、缝纫、收料，效率极高。
- 配置高品质激光管切割后面料不易起毛，水洗后不开爆。
- This machine aims to cut and sew polo placket with laser.
- The machine allows us to place body pieces at one side, while laser cutting, sewing, stacking automatically on the other side in the meanwhile, which leads to high working efficiency.
- Equipped with high-quality laser tube cutting, the fabric is not prone to fuzzing and will not burst after washing.



AT1008/8000/LS/AMR



3000



DP*17/14



220V

气源/MPa

0.6



Net WT.
Gross WT.
KG

550/640



mm

1980*1200*1500



AT1008/NF/AMR 自动刀开门襟机

AT1008/NF/AMR Automatic Knife Polo Placket Machine

- 本机为“T”恤专用开门襟机，可选择单刀或双刀切料。
- 本机可以一边放料，一边自动切割、缝纫、收料，效率极高。
- 本机结构简单实用，维护非常方便。
- The machine is designed for Polo Placket with knife, choosen from single knife or double knives.
- The machine allows us to place body pieces at one side, while cutting, sewing, stacking automatically on the other side in the meanwhile, which leads to high working efficiency.
- With simple and practical structure, it is convenient to maintenance the machine.



气源/MPa

Net WT.
Gross WT.
KG



AT1008/NF/AMR

3200

DP*17/14

220V

0.6

470/570

1680*1120*1470



AT108/H9/AMR 袖口线自动缝纫机

AT108/H9/AMR Automatic Sewing Machine For Cuff Thread

AT1082/H9/AMR 衬衣门襟自动缝纫机

AT1082/H9/AMR Automatic Sewing Machine For Shirt Placket

● 本机型采用日本进口名牌电机，运转平稳，噪音低，使用寿命长。

● 收料一体完成。

● 卷尺型模板装置，可对较长面料折料具有决定性作用。


● 多功能箱式收料机构能达到完美整齐收料效果。

●

shirt pocket thread treading, folding, sewing, ironing and collecting.

● All functions are completed in one machine, which is the best choice for shirt placket.

● Multifunctional box-type feeding mechanism result to a perfect and tidy sewing.



AT108/H9/AMR

130

247211

30

37

415/470

2300*850*1200

AT1082/H9/AMR

130

247211

30

37

2240

1120*1110



AT1005DK/8000/AMR 衬衫口袋卷边机

AT1005DK/8000/AMR 衬衫口袋卷边机

- 采用进口名牌缝纫机头，性能稳定，使用寿命长。
- 电动调节压脚高低，以适应面料厚薄。
- 一次成型，效率高。
- can be completed at one time
- Changes in thickness of fabric can be done by adjust the presser foot height in electric control system.



1. 缝纫机头 (Sewing Head)



2. 控制面板 (Control Panel)



3. 脚踏 (Foot Pedal)



4. 缝纫机头 (Sewing Head)



5. 缝纫机头 (Sewing Head)



6. 缝纫机头 (Sewing Head)



AT1005DK/V5/AMR 袋口线自动卷边缝纫机

AT1005DK/V5/AMR Automatic Pocket Hemmer

- 100%全自动化生产，效率高，成本低。
- 口线预折缝一体成形。
- 适用于各种材质的面料，如：牛仔布、斜纹布、平纹布、涤棉布等。
- 搭配完善的各种常见问题解决方案，让设备使用更安心。

- 100%全自动化生产，效率高，成本低。
- The pocket folding and sewing can be done in one step.
- It is suitable for various materials, such as denim, twill, plain weave,涤棉布, etc.
- It has a complete set of solutions for various common problems, making the equipment use more安心.



100%全自动化生产

100%全自动化生产

100%全自动化生产

100%全自动化生产

100%全自动化生产


100%全自动化生产

佳岛在手中，缝纫好轻松！
A stitch above the best!



自动调节卷口宽度，以适应各类服装需求

Adjust the width of pocket hem automatically to meet various garment needs.



● 多种面料参数一键设定，弹性面料、普通面料都能搞定。

● Multiple fabric parameters can be set with one click in system, both elastic and ordinary fabrics can be processed.



AT1051/430/AMR 全自动缝裤腰头机

AT1051/430/AMR Automatic Waistband Folding And Closing Machine

- 多点定位自动封裤腰，能够有效减少人工，简化上腰工序。
- 控制精度高，缝制质量好，生产效率高，是裤业生产的首选设备。

● 具有自动送料、自动定位、自动缝制、自动收口等功能。

● 具有自动送料、自动定位、自动缝制、自动收口等功能。

stable improvement in clothing quality.



1000/1000

1000

1000/1000

1000

1000


225/285

1400*850*1450




多点定位结构能够更精确的控制腰头折料位置，一次成型即可完成缝制工序。

The specialized multi-positioning structure is able to control the waistband folding position more accurately, and the sewing process can be done in one-stage processing.



减少人工，在相同的时间内AT1051/430/AMR配一名普通工人的产出相当于3-5名熟练工人的工作量。

Reduce labor force, and the output of AT1051/430/AMR with one ordinary worker in the same time is equivalent to the workload of 3-5 skilled workers.




● 腰头工序是牛仔裤生产的重要工序之一，传统工艺需要预留10-15cm的缝份，上腰时预留的缝份需要预留一定的空间，AT1051/430/AMR能够实现精准定位，上腰时可一针到底，达到优化工序的目的。

● Optimizing the process is another feature of AT1051/430/AMR. Traditional waistband folding requires 10-15cm reserved space for the waistband closing. However, with the use of AT1051/430/AMR, it does not require any reserved space, and waistband closing can be done in a straight line to optimize the process.



- 与传统的样机比较，具有声音轻、使用寿命长等诸多特点。





AT1057/8000/AMR 全自动双层折叠成型机

AT1057/8000/AMR Fully Automatic Double Layer Fabric Folding And Sewing Machine

- 本机适用于缝制袖口、袋盖、腰袷等，双层面料折叠、缝纫一次性完成
- This machine is suitable for sewing cuffs, pocket flaps, waist loops, etc. Double layer fabric folding and sewing can be completed in one go.



气压/mpa

Net WT.
Gross WT.
KG



AT1057/8000/AMR

3500

DP*5/14-22

220V

0.6

580/670

1800*1070*1400



AT1058/8000/AMR 自动袋盖缝纫机

AT1058/8000/AMR Automatic Pocket Flap Sewing Machine

- 本机适用于服装口袋袋盖自动缝制，将需要缝制之物料、袋盖放在工作台上，即可实现自动缝制、翻盖、收料等多项加工工艺，简单实用
- 本机与全自动贴袋机配合使用，以达到投资少、效率高之目的。
- This machine is suitable for automatic sewing of pocket flap, by placing the body piece and flap that need to be sewn on the workbench, multiple processing processes such as automatic sewing, flipping, and material collection can be achieved in one time, simple and practical.
- This machine is used in conjunction with a fully automatic pocket setter to achieve the goal of low investment with high efficiency.



AT1058/8000/AMR



3500



DP*5/14-18



220V

气源/MPa

0.6



Net WT.
Gross WT.
KG

200/250



mm

1650*810*1260



AT301 自动穿绳机

AT301 Automatic Threader Machine

本机适用于各类松紧裤腰的自动穿绳，电脑控制，减轻工人工作强度。

- 简单操作可迅速更换牵引钢丝。
- 电脑控制张力大小，可快速设定裤子的不同腰围。

This machine is suitable for all kinds of automatic rope threading, computer controlled, reduce the working intensity of workers.

- Simple operation, easy to use.
- The computer controls the tension and can quickly set the different waist circumferences of trousers.



AT301



4/min



220V

Net WT.
Gross WT.
KG

115/140



mm

1050*650*1200



全国服务热线 / 0576-88018791

Global Service Hotline / +86-576-88018796



中国缝制机械协会理事单位 / 本企业已通过ISO9001管理体系认证
浙江科技型企业 台州著名商标 / ISO14001环境体系认证

浙江佳岛缝纫机有限公司

ZHEJIANG JIADAO SEWING MACHINE CO.,LTD.

地址：浙江省台州市椒江区东海大道东段993号
Add: No.993 East Donghai Road Jiaojiao Taizhou Zhejiang China
电话(Tel)：+86-576-88018796 / 88018791
传真(Fax)：+86-576-88027628 / 88018792
Http：www.chinajaki.com
Email：jaki@china-jaki.com